

Designed to Reposition
Heavy Machinery

Slip sheets that
are as slippery
as banana peels



For safe and easy repositioning work

Excellent.

SuberunPaper すべるんペーパー (Made in Japan)

SuberunPaper Are Designed to Reposition Heavy Machinery at Ease. Using two SuberunPaper sheets, large and heavy machinery can be easily repositioned to an optimal installation position. Sliding an object could be easy and safe instead of painstaking and dangerous.

- SuberunPaper is designed to reposition an object with a weight under 10 metric tons within a 100mm adjustment range.
- SuberunPaper is not designed for transporting heavy objects.

A shaft alignment procedure used to take


6 workers 60 minutes

With SuberunPaper, a shaft alignment procedure takes

4 workers 30 minutes

Significant
improvement in
cost performance

*A machinery installment company in Chiba, Japan used 8 sheets (4 pairs) of SuberunPaper under a YASDA Horizontal Machining Center and adjusted the position using a Daiki Hydraulic Wedge Jack.



With SuberunPaper, an object up to 3 metric tons can be moved manually. For an object heavier than 3 metric tons, the use of a power wedge is recommended.

Product details and pricing information are available on the other side.

SuberunPaper Products

SuberunPaper


SuberunPaper Rolls



Product code: SB-A30R
 Size : 300mm x 30m
 Weight/ about 1kg
 Color/ Pale blue
 Coefficient of friction* : 0.02~0.03

Product code: SB-A50R
 Size : 500mm x 30m
 Weight/ about 1.7kg
 Color/ Pale blue
 Coefficient of friction* : 0.02~0.03

Pre-cut Sheets



Great for tryout

Product code: SB-A20
 Size : A4 x 20sheets
 Weight/about 120g
 Color/ Pale blue
 Coefficient of friction* : 0.02~0.03

Dust-free Paper Sheets Made for clean room




Product code: SB-CR16
 Size : A4 x 16sheets
 Weight/about 85g
 Color/ Pale blue
 Coefficient of friction* : 0.03~0.04

Coefficient of friction may vary depending on the objects.
 Taxes and fees will be charged separately.

Four Easy Steps to Use SuberunPaper !


Step 1. Cut




Step 2. Pair



Step 3. Place



Step 4. Move



An uneven installation surface and/or excess weight (>10 metric tons) may tear SuberunPaper.

1. Cut SuberunPaper into an appropriate size.
2. Pair two sheets with the slippery sides (without printed letters) facing one another. Prepare as many pairs as necessary for repositioning work.
3. Make sure the installation surface is flat and even. Transfer a heavy object to the area to complete the installation. Jack up to lift the object and place the paired SuberunPaper sheets under the foundation of the object and place the object back on the floor.
4. Adjust the installation position by moving the object on the SuberunPaper manually or using a tool. Finalize the installation position and then jack up the object again to just enough to be able to pull out the SuberunPaper.

Where to Buy SuberunPaper

Questions? Please email us.

Asumaru Honpo Co., Ltd.

1908-2 Obayashi, Yakage-chou, Oda-gun, Okayama, 714-1202, Japan

TEL : +81-86-684-0375

FAX : +81-50-3134-8703

URL : <https://asu-maru.com>

e-mail : info@asu-maru.com

